

CL810 / CL811 TECHNICAL DATA SHEET

FURNITURE POLISH WITH LEMON OIL



PRODUCT DESCRIPTION:

An emulsion polish formulation that dusts and cleans in one easy application. A rich blend of silicones, cleaners and lemon oil that cleans and polishes a wide variety of surfaces leaving behind a pleasant lemon fragrance and a hard, dust-free shine that lasts. Removes finger marks, smudges, grease marks and stains in one step. You may spray directly onto the surface to be cleaned or on a clean cloth for those hard to reach areas.

- This Furniture Polish with lemon oil leaves a dust free surface. Resists fingerprints. Does not build up or leave a heavy residue. Spray on and wipe off! Dusts, cleans, and polishes in one application.

AREAS OF USE:

For use on light and dark finished wood furniture and other furniture surfaces, such as, ceramic and plastic tiles, chrome, stainless steel, porcelain, brass, vinyl, enamel, marble, stone, acrylics, and fiberglass.

SPECS:

	CL810	CL811
Can Size:	16 oz.	20 oz.
Net Weight:	14 oz.	19 oz.
Shipping Weight:	14 lbs.	18 lbs.

Packaged: 12 cans per case

UPC Number:

CL810 - 7 13014 11810 3

CL811 - 7 13014 11811 0

Extender Tube: N

REGULATORY:

Ozone Depleting Compounds: None

Recyclable Package: Yes

VOC Compliant CARB: Yes

VOC Compliant OTC: Yes

Flammability: Not required to be labeled as

Flammable

PHYSICAL CHARACTERISTICS:

Color: Thin, white emulsion

Fragrance: Lemon

Shelf Life: 1 year +

See label side panel for First Aid and additional Precautionary Statements

24 HOUR MEDICAL EMERGENCY NUMBER:

1-866-836-8855

KEEP OUT OF REACH OF CHILDREN

CONSULT SDS BEFORE USING



MADE IN THE
USA

Federal regulations prohibit CFC propellants in aerosols.





Version: 1.0
Revision Date: 09/26/2019

SAFETY DATA SHEET

1. Identification

Product identifier: Furniture Polish with Lemon Oil - CL8116

Other means of identification

SDS number: RE1000011539

Recommended restrictions

Product use: Cleaner

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Ingram Dr
Pacific, MO 63069

Telephone: 1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol

Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Hazard(s) not otherwise None.



3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%) [*]
Butane	106-97-8	1 - <5%
Propane	74-98-6	1 - <5%
Terpenes and Terpenoids, sweet orange-oil	68647-72-3	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Rinse mouth thoroughly.
Inhalation:	Move to fresh air.
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Eye contact:	Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in



6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Butane	REL	800 ppm 1,900 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	REL	1,000 ppm 1,800 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL	5 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values (2008)
	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ammonium hydroxide ((NH ₄)(OH))	STEL	35 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm 27 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm 27 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm 18 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm 35 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
2,6-Octadienal, 3,7-dimethyl-	TWA	5 ppm	US. ACGIH Threshold Limit Values (01 2010)



Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
Bicyclo[3.1.1]heptane, 6,6- dimethyl-2-methylene-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)

**Appropriate Engineering
Controls**

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
pH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.
Flash Point: -104.44 °C
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.
Flammability limit - lower (%): No data available.
Explosive limit - upper (%): No data available.
Explosive limit - lower (%): No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.



Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	Not classified for acute toxicity based on available data.
----------	--

Specified substance(s):

Terpenes and Terpenoids, sweet orange-oil	LD 50: > 2,000 mg/kg
---	----------------------

Dermal

Product:	Not classified for acute toxicity based on available data.
----------	--

Specified substance(s):



Terpenoids, sweet
orange-oil

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l
LC 50: > 100 mg/l

Propane LC 50: > 100 mg/l
LC 50: > 100 mg/l

Terpenes and LC 50: > 5 mg/l
Terpenoids, sweet LC 50: > 20 mg/l
orange-oil

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Experimental result, Key study
NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation
Experimental result, Key study
Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation
Experimental result, Key study
LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.



Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Terpenes and
Terpenoids, sweet
orange-oil

May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Terpenes and
Terpenoids, sweet
orange-oil LC 50 (96 h): < 10 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

**Specified substance(s):**

Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Terpenes and Terpenoids, sweet orange-oil	< 70 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential**Bioconcentration Factor (BCF)**

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Butane	No data available.
Propane	No data available.
Terpenes and Terpenoids, sweet orange-oil	No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information**DOT**

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
Packing Group:	II
Marine Pollutant:	No
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2



EmS No.:
Packing Group: —
Environmental Hazards: No
Marine Pollutant: No
Special precautions for user: Not regulated.

IATA

UN Number: UN 1950
Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
Class: 2.1
Label(s): —
Packing Group: —
Environmental Hazards: No
Marine Pollutant: No
Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Butane	lbs. 100
Propane	lbs. 100
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	lbs. 1000
Ammonium hydroxide ((NH ₄)(OH))	lbs. 1000
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard
Flammable aerosol

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Terpenes and Terpenoids, sweet orange-oil		

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
--------------------------	----------------------------



Propane	lbs. 100
Terpenes and Terpenoids, sweet orange-oil	
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	lbs. 1000
Ammonium hydroxide (NH ₄)(OH))	lbs. 1000
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Butane	10000 lbs
Propane	10000 lbs
Terpenes and Terpenoids, sweet orange-oil	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Butane
Propane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane
Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Terpenes and
Terpenoids, sweet
orange-oil

Stockholm convention

Terpenes and
Terpenoids, sweet
orange-oil

Rotterdam convention

Terpenes and
Terpenoids, sweet
orange-oil



Kyoto protocol

Inventory Status:

Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

Issue Date: 09/26/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

