

turtle wax, inc 625 Willowbrook Ctr Pkwy Willowbrook, Illinois 60527

Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME TURTLE WAX OXY INTERIOR 1 MULTI-PURPOSE CLEANER

PRODUCT CODE T-440W

CHEMICAL FAMILY Carpet & Upholstery Cleaner

CHEMICAL NAME Mixture: Water, Surfactant, Silicone, Co-solvent

FORMULA Mixture

MANUFACTURER EMERGENCY TELEPHONE NUMBERS

Turtle Wax, Inc. Transportation:

625 Willowbrook Centre Parkway CHEMTREC: 800-424-9300

Willowbrook, IL 60527 Medical:

Phone: 630-455-3700 Contact your local Poison Control Center

Fax: 630-455-3868

2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
Isobutane	75-28-5	1-3%
(Liquified Petroleum Gas)		
Propane	74-98-6	1-3%
(Liquified Petroleum Gas)		
Ethylene Glycol Mono Butyl Ether	111-76-2	2-4%
(Butyl Cellosolve)		
Sodium Meta Silicate – Pentabead	6834-92-0	< 1 %
(Metso Pentabead 20)		

EXPOSURE LIMITS 8 hrs. TWA(ppm) **CARCINOGEN OSHA PEL ACGIH TLV** (OSHA, NPT, IARC) Isobutane 1000ppm 1000ppm No (Liquified Petroleum Gas) 1000ppm 1000ppm Propane No (Liquified Petroleum Gas) Ethylene Glycol Mono Butyl ether 25ppm 25ppm No (Butyl Cellosolve) Sodium Meta Silicate - Pentabead None None No (Metso Pentabead 20)

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

INHALATION: Repeated or excessive inhalation of vapor can cause irritation, dizziness, and nausea. Intentional misuse by deliberately concentrating and inhaling vapors, may be harmful or fatal. No chronic effects known.

INGESTION: Can cause digestive system upsets and nausea. Avoid sucking into lungs. No chronic effects known.

SKIN CONTACT: Can cause irritation. No chronic effects known.

EYE CONTACT: Flush with water for 15 minutes. Get medical attention if effects persist.

4. FIRST AID MEASURES

EYE: Flush with water for 15 minutes. Get medical attention if effects persist.

SKIN: Remove contaminated clothing. Wash effected areas thoroughly with soap and water. Launder clothing before re-use.

INHALATION: Remove to fresh air. Use artificial respiration and oxygen if needed.

INGESTION: Rinse mouth. Never give anything orally to someone who is unconscious. Give several large classes of water to drink. Do not induce vomiting. If liquid is sucked into lungs, get prompt medical attention.

5. FIRE FIGHTING MEASURES

FLASH POINT: Sprayed vapors can be ignited with a flame. Flame length 14 – 16 inches or less with no flash back to nozzle by CPSC test [16 CFR 1500.3(b)(6)(viii)] is rated non-flammable. **NFPA 30:** Aerosol Level 1

EXTINGUISHING MEDIA: Water Spray, Alcohol Foam, Carbon Dioxide, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Aerosol cans, under pressure, can explode when heated above 140°F (60°C) and become projectiles. Treat contents as flammable liquid/explosive vapor fire. Keep unignited containers cool with water. Vapors, that are heavier that air, can collect in low areas and may travel to distant source of ignition and flashback. Avoid flow of material to sewers. See Sec. 8 for personal protection.

6. ACCIDENTIAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Remove all ignition sources. Provide good ventilation. Take up spills and put into closed containers. Avoid flow to sewers. Floors may be slippery. See Section 8 for other protective measures.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): 32° F (0° C)/120° F (49° C)

SHELF LIFE: 7 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Store in cool and ventilated places, but avoid freezing. Do not store above 120°F (49°C).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS: Wear goggles. Have convenient eye wash stations.

SKIN PROTECTION REQUIREMENTS: Wear chemical resistant gloves and other clothing as needed to prevent exposure.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV.

EXPOSURE LIMITS: Not established for product as whole.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Pressurized container

COLOR: Clear liquid dispensed as a foam

ODOR: typical

BOILING POINT: n/av

MELT / FREEZE POINT: n/av

PH: 9.8

SOLUBILITY IN WATER: Complete

SPECIFIC GRAVITY: 0.998

% NON-VOLATILE BY WEIGHT: <1.0%

VAPOR PRESSURE: 55 PSIG @ 70°F

VAPOR DENSITY: n/av

10. REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: .Does not occur

INCOMPATIBILITIES: DECOMPOSITION PRODUCTS: When burned: CO, CO2, Hydrocarbons

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Can cause irritation, dizziness, and nausea

CHRONIC INHALATION: None known

ACUTE SKIN CONTACT: Can cause irritation, de-fatting, or dermatitis

CHRONIC SKIN CONTACT: .None known

ACUTE EYE CONTACT: Causes irritation

12. ECOLOGICAL INFORMATION

No data available.

13. <u>DISPOSAL CONSIDERATIONS</u>

RCRA Hazardous Waste: Is not a RCRA hazardous waste.

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION

DOT INFORMATION: ORM-D

PROPER SHIPPING NAME: Consumer Commodity

TECHNICAL SHIPPING NAME: Aerosols (Non-Flammable)

HAZARD CLASS: 2.2 (Non Flammable Gas)

UN NUMBER: 1950

PRODUCT RQ (lbs):

LABEL: Non Bulk ORM-D

Bulk Non-Flammable Gas

PLACARD: Non Bulk None

Bulk Non-Flammable Gas

FREIGHT CLASS BULK: n/av

FREIGHT CLASS PACKAGE: n/av

PRODUCT LABEL None

15. **REGULATORY INFORMATION**

TSCA STATUS: All ingredients are listed under TSCA.

CERCLA REPORTABLE QUANTITY: None

SARA TITLE III:

SECTION 302 EXTREMELY

HAZARDOUS SUBSTANCES None

SECTION 311/312 HAZARD CATEGORIES

Acute Health Yes

Chronic Health No

Fire No

Reactive No

Sudden Release of Pressure Yes

SECTION 313

CHEMICAL NAME CAS NUMBER CONCENTRATION

Ethylene Glycol Mono Butyl Ether 111-76-2 2-4%

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT/

CAS NUMBER CONCENTRATION STATE CODE

None

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. OTHER INFORMATION

HMIS CLASSIFICATION	Health	1
	Flammability	2
	Reactivity	0
	PPI	В
NFPA RATING	Health	1
	Fire	2
	Reactivity	0
	Special	None

REASON FOR ISSUERevised for ANSI format.

PREPARED BY James P. Heidel

TITLE Technical Director, R&D

APPROVAL DATE June 17, 2008

SUPERCEDES DATE September 17, 2001

REVISION NUMBER A - 1

This information is to the best of Turtle Wax, Inc.'s knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.