

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 05/25/2023 Revision date: 12/18/2024 Supersedes: 10/23/2023 Version: 2.1

SDS No: 00625-0086



SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : Care tabs
Further information : Article number: 56.00.562; 56.01.527

1.2. Recommended use and restrictions on use

Recommended use : RATIONAL care tabs for all iHexagon, iCombi Pro, iCombi Classic and SelfCookingCenter® models with Efficient CareControl for commercial use, Care product, For professional users only

1.3. Supplier

Supplier

RATIONAL AG
Siegfried-Meister-Straße 1
Landsberg am Lech, 86899
Germany
T +49 8191 327 387 - F +49 8191 327 231
reinigung@rational-online.com - www.rational-online.com

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

Supplier

RATIONAL Canada Inc.
6950 Creditview Rd., Unit 1
Mississauga, Ont., L5N 0A6
Canada
T +1 877 728 4662

1.4. Emergency telephone number

Emergency number : Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 114705: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, Category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.

Precautionary statements (GHS CA) : P101 - If medical advice is needed, have product container or label at hand.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor, a POISON CENTER.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
DL-malic acid	-	CAS-No.: 617-48-1	20 - 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319
citric acid	citric acid	CAS-No.: 77-92-9	20 - 50	Eye Irrit. 2, H319 STOT SE 3, H335
adipic acid	adipic acid	CAS-No.: 124-04-9	5 - 15	Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting. Call a physician immediately.
First-aid measures general	: Adhere to personal protective measures when giving first aid.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. Burns.

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

4.3. Immediate medical attention and special treatment, if necessary

Treatment : If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Storage temperature : 10 – 40 °C

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

Special rules on packaging : Keep only in original container.

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

adipic acid (124-04-9)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
Regulatory reference	Alberta Regulation 191/2021
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
Notations and remarks	TLV® Basis: URT irr; ANS impair
Regulatory reference	ACGIH 2024
Canada (New Brunswick) - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
Notations and remarks	TLV® Basis: URT irr; ANS impair
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
Notations and remarks	TLV® Basis: URT irr; ANS impair
Regulatory reference	ACGIH 2024
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Adipic acid
OEL TWA	5 mg/m ³
OEL STEL	10 mg/m ³
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration
Chemically resistant protective gloves				

Eye protection:

tightly fitting safety goggles

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required for normal conditions of use

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: tablet.
Colour	: White
Odour	: characteristic
Odour threshold	: No data available
pH	: 2.5
pH solution concentration	: 1 %
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: Not applicable
Density	: 820 – 900 kg/m ³
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Explosive limits	: Not applicable

9.2. Other information

VOC content	: < 3 %
-------------	---------

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Protect from atmospheric moisture and water.
Incompatible materials	: Strong bases. Light metals. Oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

DL-malic acid (617-48-1)	
LC50 Inhalation - Rat	> 1.306 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))

citric acid (77-92-9)	
LD50 oral	5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other., 95% CL: 4500 - 6400
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

adipic acid (124-04-9)	
LD50 oral rat	5560 mg/kg
LC50 Inhalation - Rat	> 7.7 mg/l (4 h, (OECD 403 method)

Skin corrosion/irritation	: Causes severe skin burns. (OECD 431 method) pH: 2.5
Serious eye damage/irritation	: Causes serious eye damage. (OECD 438 method) pH: 2.5
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

DL-malic acid (617-48-1)	
NOAEL (oral, rat, 90 days)	≈ 600 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)

citric acid (77-92-9)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects after inhalation	: May cause respiratory irritation.

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

Symptoms/effects after skin contact : Burns.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea. Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

DL-malic acid (617-48-1)

LC50 fish 1	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

citric acid (77-92-9)

LC50 fish 1	440 mg/l (48 h, Leuciscus idus (golden orfe), (OECD 203 method)
EC50 Daphnia 1	1535 mg/l (24 h)

adipic acid (124-04-9)

EC50 Daphnia 1	46 mg/l 48 h, (OECD 202 method)
ErC50 algae	59 mg/l Pseudokirchneriella subcapitata, (OECD 201 method)
NOEC chronic crustacea	6.3 mg/l 48 h, (OECD 211 method)
LC0, Danio rerio	> 1000 mg/l (96 h, ECHA)

12.2. Persistence and degradability

Care Tab

Persistence and degradability	Readily biodegradable,(OECD 301B method)
-------------------------------	--

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Packaging that cannot be cleaned should be disposed of like the product.





Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN number			
UN3261	UN3261	3261	3261
14.2. Proper Shipping Name			
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (citric acid ; DL-malic acid ; adipic acid)	Corrosive solid, acidic, organic, n.o.s. (citric acid ; DL-malic acid ; adipic acid)	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (citric acid ; DL-malic acid ; adipic acid)	Corrosive solid, acidic, organic, n.o.s. (citric acid ; DL-malic acid ; adipic acid)
14.3. Transport hazard class(es)			
8	8	8	8
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

TDG

UN-No. (TDG)

TDG Special Provisions

: UN3261

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3).

(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

- (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S.;
- (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S.;
- (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S.;
- (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S. or
- (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

- (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or
- (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

Explosive Limit and Limited Quantity Index

: 1 kg

Excepted quantities (TDG)

: E2

Passenger Carrying Road Vehicle or Passenger

: 15 kg

Carrying Railway Vehicle Index

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

Emergency Response Guide (ERG) Number : 154

DOT

UN-No.(DOT) : UN3261

DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).
IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.
IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.
T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Packaging Non Bulk (49 CFR 173.xxx) : 212

DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 kg

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 50 kg

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 53 - Stow "separated from" alkaline compounds, 58 - Stow "separated from" cyanides

IMDG

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 kg

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P002

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B21, B4

Tank instructions (IMDG) : T3

Tank special provisions (IMDG) : TP33

Stowage category (IMDG) : B

Segregation (IMDG) : SGG1, SG36, SG49

IATA

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y844

PCA limited quantity max net quantity (IATA) : 5kg

PCA packing instructions (IATA) : 859

PCA max net quantity (IATA) : 15kg

CAO packing instructions (IATA) : 863

CAO max net quantity (IATA) : 50kg

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

Special provisions (IATA) : A3, A803
ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

DL-malic acid (617-48-1)

Listed on the Canadian DSL (Domestic Substances List)

citric acid (77-92-9)

Listed on the Canadian DSL (Domestic Substances List)

adipic acid (124-04-9)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: Other information

Issue date : 05-25-2023
Revision date : 12-18-2024
Supersedes : 10-25-2023

Indication of changes

Section	Changed item	Comments
1		Modified

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of hazard classes and H-statements:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
-----	---

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor
DOT	Department of Transport
TDG	Transportation of Dangerous Goods

Care tabs

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
SDS No: 00625-0086

Abbreviations and acronyms:	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.