MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053 (Code: MLO1MSDS)

MOTSENBOCKER'S LIFT OFF

P.O. BOX 90947

SAN DIEGO, CA 92169

DATE: January 1, 2006

Product Information:

Toll Free: (800) 346-1633 Phone: (858) 581-0222

Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

1.1 Product Name: MOTSENBOCKER'S LIFT OFF #1

1.2 Product Type: Food, Beverage and Protein Stain Remover, Water-based and

biodegradable.

1.3 Hazard Rating: Health 1 Fire 0 Reactivity 0

++ SARA 313 TOXIC CHEMICALS, If Present, Are Preceded by "#" ++

HAZARDOUS COMPONENTS 2.0

(mg/m3)

PEL TWA

2.1 Acetone 67-64-1 * ACGIH STEL = 2380 mg/m3 < 5 2400 1780*

This product also contains trade secret ingredients. NJTSRN #405-01, 406-01, 405-02, 2.2 415-01, 421-01.

STEL = 15 Minute Average in Air PEL = OSHA 8 Hour Average in Air

3.0 PHYSICAL DATA

3.1 Appearance: Clear liquid, mild odor

3.2 Solubility in Water: Mixes with water in all proportions.

3.3 pH:

11.9 - 12.1

3.4 Initial Boiling Point: 199 deg F (93 deg C)

3.5 Specific Gravity:

1.0

3.6 Vapor Density: Heavier than air

4.0 **FIRE AND EXPLOSION DATA**

4.1 Special Fire Hazards: None

Fire Fighting Methods: This water-based product has been tested by DOT methods and 4.2 shown not to support combustion.

REACTIVITY DATA 5.0

- 5.1 Stability: Stable under normal conditions of handling.
- 5.2 Conditions to Avoid: Store in a cool, dry place.

Product: Motsenbocker's Lift Off #1

Medical Emergency Only, 24 Hour Service: 1-800-535-5053

6.0 SPILL OR LEAK PROCEDURES (USE PROPER PROTECTIVE EQUIPMENT)

- 6.1 Cleanup: Ventilate. Mop up. Smaller amounts may be flushed safely to the sewer.
- 6.2 Waste Disposal: Consult state/ local authorities for limits on disposal of chemical waste.

7.0 HEALTH HAZARD DATA

CAUTION

Page 2 of 2

7.1 Effects of Overexposure to Concentrate:

Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.

Eyes: Causes eye irritation.

IF SWALLOWED: May cause stomach distress.

If Inhaled: Prolonged exposure to vapors may cause dizziness

8.0 FIRST AID

- 8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
- 8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
- 8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

- 9.1 Respiratory: Ventilate to maintain exposure below limits.
- 9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

- 10.1 DOT Class: Not regulated.
- 10.2 Replaces previously dated January 1, 2003.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053 (Code: MLO2MSDS)

MOTSENBOCKER'S LIFT OFF

P.O. BOX 90947

SAN DIEGO, CA 92169 DATE: January 1, 2006

Product Information: Toll Free: (800) 346-1633

Phone: (858) 581-0222 Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

1.1 Product Name: MOTSENBOCKER'S LIFT OFF #2 (Non aerosol)

1.2 Product Type: Adhesives, Grease, Oily Stains & Tape Remover

1.3 Hazard Rating: Health 1 Fire 0 Reactivity 0

No ingredients in this product are subject to SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

2.0 HAZARDOUS COMPONENTS ACGIH **OSHA** TLV PEL UNITS 2.1 Trade Secret 2.2 Not Established 2.3 1000 1000 PPM Trade Secret 2.4 Not Established The identity of the component(s) responsible for the penetrating properties of this product 2.5 is considered to be a trade secret. This product also contains trade secret ingredients. NJTSRN #407-01,408-01, 407-02, 407-03, 415-01, 421-01 3.0 PHYSICAL DATA

3.1 Appearance: Clear liquid, pungent odor

3.2 Solubility in Water:

Partial.

3.3 100% pH:

Does not apply Use Solution pH: N/A

Initial Boiling Point: 3.4

160-360 deg F (71-182 deg C)

Specific Gravity: 3.5

Vapor Density: 3.6

Heavier than air

4.0 FIRE AND EXPLOSION DATA

Special Fire Hazards: High temperatures may generate hazardous decomposition 4.1 products including hydrogen chloride or phosgene.

4.2 Flash Point: 184 F TCC

5.0 REACTIVITY DATA

- 5.1 Stability: Stable under normal conditions of handling.
- Conditions to Avoid: Store in a cool, dry place. 5.2

Product:

Motsenbocker's Lift Off #2

Medical Emergency Only, 24 Hour Service:

1-800-535-5053

Page 2 of 2

6.0 SPILL OR LEAK PROCEDURES

(USE PROPER PROTECTIVE EQUIPMENT)

6.1 Cleanup: Ventilate. Use inert absorbent.

6.2 Waste Disposal: Consult state/ local authorities for limits on disposal of chemical waste. Do not put into sewer.

7.0 HEALTH HAZARD DATA

CAUTION

7.1 Effects of Overexposure to Concentrate:

Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.

Eyes: Causes eye irritation.

IF SWALLOWED: May cause stomach distress.

If Inhaled: Prolonged exposure to vapors may cause dizziness, loss of coordination and increased reaction time.

8.0 FIRST AID

8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.

8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water.

Wash contaminated clothing well before re-use.

8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

9.1 Respiratory: Ventilate to maintain exposure below limits.

9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

10.1 DOT Class: Not regulated.

10.2 Purposes of 03/15/01 issue: Change in formulation. VOC Compliant. EPA New Standards. California effective date 01/01/01.

10.3 Replaces previously dated January 1, 2003.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY NUMBER: INFOTRAC @ (800) 535-5053 (Code: MLO3MSDS)

MOTSENBOCKER'S LIFT OFF

P.O. BOX 90947

SAN DIEGO, CA 92169 DATE: January 1, 2006 Product Information:

Toll Free: (800) 346-1633 Phone: (858) 581-0222

Fax: (858) 483-6965

1.0 PRODUCT IDENTIFICATION

1.1 Product Name:

MOTSENBOCKER'S LIFT OFF #3

1.2 Product Type:

Pen, Ink and Marker Graffiti Remover, Water-based and

biodegradable.

1.3 Hazard Rating:

Health 1 Fire 0 Reactivity 0

++ SARA 313 TOXIC CHEMICALS, If Present, Are Preceded by "#" ++

2.0 HAZARDOUS COMPONENTS

(mg/m3)

% PEL TWA

2.1 Acetone 67-64-1 * ACGIH STEL = 2380 mg/m3

< 5 2400 1780*

2.2 This product also contains trade secret ingredients. NJTSRN #409-01, 409-02, 410-01, 421-01, 415-01.

STEL = 15 Minute Average in Air

PEL = OSHA 8 Hour Average in Air

3.0 PHYSICAL DATA

3.1 Appearance:

Clear liquid, mild odor

3.2 Solubility in Water:

Mixes with water in all proportions.

3.3 pH:

11.9 - 12.1 Used at 100%

3.4 Initial Boiling Point:

11.9 - 12.1 Oseu at 100/

3.5 Specific Gravity:

194 deg F (90 deg C) 1.0

3.6 Vapor Density:

Heavier than air

4.0 FIRE AND EXPLOSION DATA

4.1 Special Fire Hazards: None

4.2 Fire Fighting Methods: This water-based product has been tested by DOT methods and

shown not to support combustion.

5.0 REACTIVITY DATA

- 5.1 Stability: Stable under normal conditions of handling.
- 5.2 Conditions to Avoid: Store in a cool, dry place.

Product:

Motsenbocker's Lift Off #3

Medical Emergency Only, 24 Hour Service:

Page 2 of 2 1-800-535-5053

6.0 SPILL OR LEAK PROCEDURES

(USE PROPER PROTECTIVE EQUIPMENT)

- 6.1 Cleanup: Ventilate. Mop up. Smaller amounts may be flushed safely to the sewer.
- 6.2 Waste Disposal: Consult state/ local authorities for limits on disposal of chemical waste.

7.0 HEALTH HAZARD DATA

CAUTION

7.1 Effects of Overexposure to Concentrate:

Skin: Contact with product can dry and defat skin, causing irritation or dermatitis.

Eyes: Causes eye irritation.

IF SWALLOWED: May cause stomach distress.

If Inhaled: Prolonged exposure to vapors may cause dizziness

8.0 FIRST AID

- 8.1 Eyes: Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
- 8.2 Skin: Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
- 8.3 If SWALLOWED: Rinse mouth, then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

9.0 PROTECTIVE MEASURES

- 9.1 Respiratory: Ventilate to maintain exposure below limits.
- 9.2 When using the product, wear rubber gloves and eye protection such as splash proof glasses.

10.0 ADDITIONAL INFORMATION / PRECAUTIONS

- 10.1 DOT Class: Not regulated.
- 10.2 Purposes of 09/17/98 issue: Change phone and fax area codes.
- 10.3 Replaces previously dated January 1, 2003.

KEEP OUT OF REACH OF CHILDREN

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.