



## SAFETY DATA SHEET BAZOOKA SPOT REMOVER

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name BAZOOKA SPOT REMOVER  
Product No. A401

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Bazooka Spot Remover is specially formulated for use with Prochem's Bazooka Gum Removal unit to effortlessly remove chewing gum from carpets. It can also be used without the Bazooka unit to remove chewing gum and many oil-based spots from carpets, fabrics and most surfaces.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Prochem Europe Ltd  
Oakcroft Road  
Chessington  
Surrey  
KT9 1RH  
Telephone: 020 8974 1515  
Fax: 020 8974 1511  
www.prochem.co.uk  
sales@prochem.co.uk

#### 1.4. Emergency telephone number

020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical and Chemical Hazards Flam. Aerosol 1 - H222  
Human health EUH066; Skin Sens. 1 - H317  
Environment Aquatic Chronic 2 - H411

**Classification (1999/45/EEC)** R43. F+; R12. N; R51/53. R66.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

##### Human health

Irritation of eyes and mucous membranes. May cause sensitisation by skin contact. Vapours may cause headache, fatigue, dizziness and nausea. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking.

##### Environment

The product contains a substance which is very toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

#### 2.2. Label elements

**Contains** ORANGE TERPENES

##### Detergent Labelling

>= 30% Aliphatic hydrocarbons

**Label In Accordance With (EC) No. 1272/2008**

# BAZOOKA SPOT REMOVER



|   |  |  |
|---|--|--|
| <b>Signal Word</b>                            | Danger   |  |
| <b>Hazard Statements</b>                      | H222<br>H317<br>H411   | Extremely flammable aerosol.<br>May cause an allergic skin reaction.<br>Toxic to aquatic life with long lasting effects.   |
| <b>Precautionary Statements</b>               | P102<br>P210<br>P211<br>P251<br>P280<br>P501                                     | Keep out of reach of children.<br>Keep away from heat/sparks/open flames/hot surfaces. - No smoking.<br>Do not spray on an open flame or other ignition source.<br>Pressurized container: Do not pierce or burn, even after use.<br>Wear protective gloves/protective clothing/eye protection/face protection.<br>Dispose of contents/container in accordance with local regulations.  |
| <b>Supplementary Precautionary Statements</b> | P272<br>P273<br>P261<br>P321<br>P302+352<br>P333+313<br>P363<br>P391<br>P410+412 | Contaminated work clothing should not be allowed out of the workplace.<br>Avoid release to the environment.<br>Avoid breathing vapour/spray.<br>Specific treatment (see medical advice on this label).<br>IF ON SKIN: Wash with plenty of soap and water.<br>If skin irritation or rash occurs: Get medical advice/attention.<br>Wash contaminated clothing before reuse.<br>Collect spillage.<br>Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122° F. |
| <b>Supplemental label information</b>         | EUH066   | Repeated exposure may cause skin dryness or cracking.  |

## 2.3. Other hazards

See section 8 for details of exposure limits.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

|   |  |   |
|---|--|---|
| <b>HYDROCARBONS, C11-14, N-ALKANES,CYCLIC, &lt;2% AROMATICS</b>   |  | <b>30-100%</b>                                    |
| <b>CAS-No.:</b>   | <b>EC No.: 926-141-6</b>   | <b>Registration Number: 01-2119456620-43-xxxx</b> |
| Classification (EC 1272/2008)<br>EUH066<br>Asp. Tox. 1 - H304   | Classification (67/548/EEC)<br>Xn;R65.<br>R66.                             |   |
| <b>ORANGE TERPENES</b>  |  | <b>10-30%</b>                                     |
| <b>CAS-No.: 8028-48-6</b>   | <b>EC No.: 232-433-8</b>   |   |
| Classification (EC 1272/2008)<br>Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1 - H317<br>Asp. Tox. 1 - H304<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 | Classification (67/548/EEC)<br>Xn;R65.<br>Xi;R38.<br>N;R50/53.<br>R10,R43. |   |

# BAZOOKA SPOT REMOVER

|  |  |      |
|--|--|------|
| CARBON DIOXIDE                                   |  | 1-5% |
| CAS-No.: 124-38-9                                | EC No.: 204-696-9                              |      |
| Classification (EC 1272/2008)<br>Not classified. | Classification (67/548/EEC)<br>Not classified. |      |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### **Inhalation**

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air.

#### **Ingestion**

Rinse mouth thoroughly. Do not induce vomiting. Get medical attention if any discomfort continues.

#### **Skin contact**

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

#### **Eye contact**

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

#### **Inhalation**

Vapours may cause drowsiness and dizziness.

#### **Ingestion**

Due to the physical nature of this material it is unlikely that swallowing will occur.

#### **Skin contact**

Prolonged skin contact may cause redness and irritation. Repeated exposure may cause skin dryness or cracking. May cause sensitisation by skin contact.

#### **Eye contact**

Irritation of eyes and mucous membranes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Extinguishing media**

Extinguish with foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### **Unusual Fire & Explosion Hazards**

Aerosol cans may explode in a fire.

### 5.3. Advice for firefighters

#### **Special Fire Fighting Procedures**

Use water to keep fire exposed containers cool and disperse vapours.

#### **Protective equipment for fire-fighters**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

### 6.2. Environmental precautions

# BAZOOKA SPOT REMOVER

Do not discharge into drains, water courses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not contaminate water sources or sewer.

## 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

| Name   | STD | TWA - 8 Hrs |                        | STEL - 15 Min |  | Notes |
|--|-----|-------------|------------------------|---------------|--|-------|
| CARBON DIOXIDE   | OES | 5000 ppm    |                        | 15000 ppm     |  |       |
| HYDROCARBONS, C11-14, N-ALKANES, CYCLIC, <2% AROMATICS | WEL |             | 1000 mg/m <sup>3</sup> |               |  |       |

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### Engineering measures

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

#### Respiratory equipment

For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

#### Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Rubber, neoprene or PVC. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

#### Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Appearance** Aerosol.

**Colour** Colourless.

#### Initial boiling point and boiling range (°C)

No information available.

#### Relative density

No information available.

#### Vapour density (air=1)

Not determined.

# BAZOOKA SPOT REMOVER

**Vapour pressure**

Not determined.

**Evaporation rate**

Not determined.

**pH-Value, Conc. Solution**

Not applicable.

**Viscosity**

Not applicable.

**Solubility Value (G/100G H<sub>2</sub>O@20°C)**

Not applicable.

**Flash point (°C)**

No information available.

**Flammability Limit - Lower(%)**

Not determined.

**Explosive properties**

Not applicable.

**Oxidising properties**

Not applicable.

**9.2. Other information**

None.

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity**

No specific reactivity hazards associated with this product.

**10.2. Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3. Possibility of hazardous reactions**

Not determined.

**10.4. Conditions to avoid**

Avoid heat, flames and other sources of ignition.

**10.5. Incompatible materials****Materials To Avoid**

Strong oxidising substances.

**10.6. Hazardous decomposition products**

Fire or high temperatures create: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1. Information on toxicological effects****Respiratory or skin sensitisation:**

Contains Orange terpenes May cause sensitisation by skin contact.

**Germ cell mutagenicity:**

No effects expected based upon current data.

**Carcinogenicity:**

No effects expected based upon current data.

**Reproductive Toxicity:**

No effects expected based upon current data.

**Inhalation**

Vapours may cause drowsiness and dizziness.

# BAZOOKA SPOT REMOVER

## Ingestion

Gastrointestinal symptoms, including upset stomach.

## Skin contact

Repeated exposure may cause skin dryness or cracking. May cause sensitisation by skin contact.

## Eye contact

Irritation of eyes and mucous membranes.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The product contains a substance which is very toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

#### **Acute Toxicity - Fish**

Not determined.

### 12.2. Persistence and degradability

#### **Degradability**

There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

#### **Bioaccumulative potential**

No data available on bioaccumulation.

### 12.4. Mobility in soil

#### **Mobility:**

The product has poor water-solubility.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

Not determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Do not puncture or incinerate even when empty.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number

|                      |      |
|----------------------|------|
| UN No. (ADR/RID/ADN) | 1950 |
| UN No. (IMDG)        | 1950 |
| UN No. (ICAO)        | 1950 |

### 14.2. UN proper shipping name

|                      |          |
|----------------------|----------|
| Proper Shipping Name | AEROSOLS |
|----------------------|----------|

### 14.3. Transport hazard class(es)

|                     |                |
|---------------------|----------------|
| ADR/RID/ADN Class   | Class 2: Gases |
| IMDG Class          | 2              |
| ICAO Class/Division | 2              |

### 14.4. Packing group

Not applicable.

# BAZOOKA SPOT REMOVER

## 14.5. Environmental hazards

### Environmentally Hazardous Substance/Marine Pollutant

No.

## 14.6. Special precautions for user

**Tunnel Restriction Code** (D) Supplied in accordance with "Limited Quantity" provisions.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

#### EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

#### General information

Telephone 020 8974 1515

#### Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

|                        |                |
|------------------------|----------------|
| <b>Revision Date</b>   | 22/04/2014     |
| <b>Revision</b>        | 3              |
| <b>Supersedes date</b> | 04/02/2014     |
| <b>Signature</b>       | Aaron Saunders |

#### Risk Phrases In Full

|        |  |
|--------|--|
| R12    | Extremely flammable.   |
| R10    | Flammable.   |
| R65    | Harmful: may cause lung damage if swallowed.   |
| R38    | Irritating to skin.  |
| R43    | May cause sensitisation by skin contact.   |
| R66    | Repeated exposure may cause skin dryness or cracking.  |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.      |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

#### Hazard Statements In Full

|        |   |
|--------|---|
| H315   | Causes skin irritation.                               |
| H222   | Extremely flammable aerosol.                          |
| H226   | Flammable liquid and vapour.                          |
| H304   | May be fatal if swallowed and enters airways.         |
| H317   | May cause an allergic skin reaction.                  |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| H411   | Toxic to aquatic life with long lasting effects.      |
| H410   | Very toxic to aquatic life with long lasting effects. |
| H400   | Very toxic to aquatic life.                           |

# BAZOOKA SPOT REMOVER

## Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.