

1. Identification:

Product Identity: Side Strip
Recommended Use: Aerosol Baseboard Stripper
Producer / Distributor
 Multi-Clean
 600 Cardigan Road
 Shoreview, MN 55126
Telephone Number for Information: 651-481-1900
Emergency Telephone Number: 800-255-3924

**2. Hazard Identification:****Classification:****Health Class**

Acute Toxicity Category 4
 Skin Corrosion Category 1
 Serious Eye Damage Category 1
 Reproductive Toxicity Category 2
 Specific Target Organ Toxicity Category 2

Physical Class**Environment Class****Label****Symbols**

Signal Word Danger

Hazard Statements:

Harmful if swallowed.
 Causes severe skin burns and eye damage.
 Suspected of damaging fertility or the unborn child.
 May cause damage to organs (central nervous system, kidneys, liver).

Precautionary Statements:

Wash hands thoroughly after handling.
 Do not eat, drink, or smoke when using this product.
 Do not breathe dusts or mists.
 Wear protective clothing/eye protection.
 Do not handle until all safety precautions have been read and understood.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water
 Wash contaminated clothing before reuse.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If exposed or concerned: Get medical attention.
 Store locked up.
 Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients

Ingredient	CAS Number	Percent by Weight
Monoethanolamine	141-43-5	
Isobutane	75-28-5	
2-Butoxyethanol	111-76-2	

4. First-Aid Measures:

Ingestion: If Swallowed: Call a physician immediately. Do not induce vomiting.
Eye Contact: Flush eyes with running water for at least 15 minutes, obtain medical attention.
Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse. If irritated, seek medical attention.
Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention immediately.

5. Fire Fighting Measures:

Suitable Extinguishing Media: Water - Foam - CO2 - Dry Chemical
Special Fire Fighting Procedures: Water hose stream may spread fire, Use water spray to keep containers cool
Unusual Fire and Explosion Hazards: Do not spray near open flame or while smoking. At elevated temperatures over 54°C (130°F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening container structure.

6. Accidental Release Measures:

Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material. Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state and federal regulations.

7. Handling and Storage:

Handling: Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers.

Storage: Do not expose to direct sunlight or store at temperatures above 130°F (54°C). Store as Level 1 Aerosol (NFPA 30B).

8. Exposure Controls / Personal Protection:**Exposure Limits:**

Ingredients	CAS Number	Osha PEL	ACGIH TLV
Monoethanolamine	141-43-5	3 ppm	3 ppm
Isobutane			
2-Butoxyethanol			

Exposure Controls:

Engineering Controls: Ventilate to maintain vapor levels below exposure limits.

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Synthetic Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Gelled Spray

pH: 10 - 10.5

Appearance: Spray

Specific Gravity (H₂O = 1): 0.99

Odor: Mint

Flammability: None

Solubility: Complete

Flash Point: None

Evaporation Rate: NA

Boiling Point: NA

Vapor Pressure (MM HG): NA

%volatile: > 95%

Vapor Density (Air = 1): NA

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known

Incompatibility (Materials to Avoid): Strong Organic Acids, Strong Mineral Acids

Hazardous Decomposition or By-products: CO₂, CO, Nitrogen Compounds in small amounts

Hazardous Polymerization: Will not Occur

Conditions to Avoid: Do not store above 49°C (120°F). Keep away from heat, direct sunlight, open flames or sparks. Dropping containers may cause bursting.

11. Toxicological Information:

Signs and Symptoms of Overexposure: High vapor concentrations may result in dizziness, asphyxia, anesthetic effects, and possible unconsciousness.

Acute Effects:

Eye Contact: Severe Eye damage can result from direct contact.

Skin Contact: Causes severe skin burns

Inhalation: May be harmful with overexposure

Ingestion: Harmful if swallowed

Target Organ Effects: Skin, Eyes, Liver, Kidneys, Central Nervous System and Suspected of damaging fertility or the unborn child

Chronic Effects: May cause nasal and respiratory irritation, Nausea, and Vomiting or Diarrhea . Lab animals have experienced anemia, kidney, lung, blood damage when exposed to 2-Butoxy Ethanol

Acute Toxicity Values:

Oral LD₅₀ = 300 - 2000 mg/kg

Dermal LD₅₀ = 1000 - 2000 mg/kg

Inhalation (Vapor) LC₅₀ = 10 - 20 mg/l

12. Ecological Information:

Persistence and Degradability: Not Available

Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.

14. Transportation Information:

UN Number: Ground - None
Shipping Name: Ground - Limited Quantity
 ORM-D Consumer Commodity
Transport Hazard Class: Ground - None
Packing Group: Ground - None
Marine Pollutant: NO


15. Regulatory Information:

TSCA Status: All ingredients listed
Clean Water Act: None of the chemicals in this product are listed under the CWA
Clean Air Act: Isobutane (75-28-5) & Glycol Ethers (2-Butoxy Ethanol (111-76-2)) is listed as a hazardous air pollutant (HAP)
CERCLA Reportable Quantity: None
SARA Title III Information:
Section 302 Extremely Hazardous Chemicals: None Listed
Section 311 / 312 Hazard Category: Immediate Health, Chronic Health, Fire
Section 313 Toxic Chemicals: 2-Butoxy Ethanol (111-76-2)
State Regulations: None
International Regulations: None

16. Other Information:

Prepared By: Ron Camp
Telephone Number: 651-481-1900
Revision Date: 6/7/2013
Supersedes: 4/1/2012

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the



Health	2
Flammability	1
Physical hazards	0